Index to Volume 115

No. 1

E. Holm, A. Aarkrog, S. Ballestra (Monaco-Ville, Principality of Monaco and Roskilde, Denmark)
Determination of ^{237}Np in large volume samples of sea water by a radiochemical procedure 5

K. Bunzl, W. Kracke (Neuherberg, FRG)
Simultaneous determination of plutonium and americium in biological and environmental samples 13

R. Bojanowski, E. Holm, N. E. Whitehead (Monaco-Ville, Principality of Monaco)
Determination of ^{227}Ac in environmental samples by ion-exchange and alpha spectrometry 23

A. Aarkrog, S. Boelskifte, H. Dahlgaard, S. Duniec, E. Holm, J. N. Smith (Roskilde, Denmark, Lund, Sweden, Monaco-Ville, Principality of Monaco and Dartmouth, N. S., Canada)
Studies of transuranics in an Arctic marine environment 39

S. Ballestra, G. Barci, E. Holm, J. Lopez, J. Gastaud (Monaco-Ville, Principality of Monaco)
Low-level measurements of actinides and long-lived radionuclides in biological and environmental samples 51

R. B. Holtzman (Glen Ellyn, Illinois, USA)
The determination of ^{210}Pb and ^{210}Po in biological and environmental materials 59

M. Sakanoue, M. Yamamoto, K. Komura (Ishikawa, Japan)
Determination of environmental actinide nuclides and ^{210}Pb (^{210}Po) by low-energy photon spectrometry with alpha-spectrometry 71

C. J. Bland (Calgary, Alberta, Canada)
Gamma ray spectrometry of samples using standard activity additions 83

K. G. W. Inn (Gaithersburg, Maryland, USA)
The National Bureau of Standards fresh water lake sediment environmental-level radioactivity standard reference material 91

B. Salbu, H. E. Bjørnstad, E. Lydersen, A. C. Pappas (Oslo, Norway)
Determination of radionuclides associated with colloids in natural waters 113

F. Schönhofer, J. Weisz (Vienna, Austria)
Measurements by ultra low level liquid scintillation counting following the Chernobyl accident 125

R. K. Itawi, Z. R. Turel (Bombay, India)
Determination of thallium in biological samples by thermal neutron activation analysis and low-level beta-counting 141

C. M. Sunta, H. S. Dang, D. D. Jaiswal (Bombay, India)
Thorium in man and environment. Uptake and clearance 149

H. A. Das (Petten and Amsterdam, The Netherlands)
The advantage of anti-Compton counting in the measurement of low-level radioactivity by gamma-ray spectrometry 159

R. Bojanowski, S. Ballestra, D. Vas (Monaco-Ville, Principality of Monaco)
Experience gained through intercomparison of long-lived radionuclide measurements on marine environmental matrices 175

D. S. Popplewell, G. J. Ham (Didcot, Oxfordshire, UK)
An intercomparison exercise on the determination of neptunium-237 in an environmental material 191

No. 2

N. P. Singh (Salt Lake City, Utah, USA)
Amines as extracting agents for the quantitative determinations of actinides in biological samples 203

R. Hedvall, H. Pettersson, B. Erlandsson (Lund, Sweden)
Gamma-spectrometric determination of uranium isotopes in biofuel ash 211

K. C. Pillai, V. M. Matkar (Bombay, India)
Determination of plutonium and americium in environmental samples and assessment of thorium in bone samples from normal and high background areas 217

A. S. Paschoa, M. Cholewa, K. W. Jones, N. P. Singh, M. E. Wrenn (Rio de Janeiro, Brasil, Long Island, N.Y., USA and Salt Lake City, Utah, USA)
PIXE-RBS combination to measure uranium and thorium in environmental and biological samples 231

Y. Takizawa, Sh.-I. Hisamatsu, T. Abe (Akita, Japan)
The methods for $^{239+240}$Pu analysis and their application to human tissues and food samples 241

B. T. Wilkins, S. P. Stewart, R. O. Major (Chilton, Didcot, UK)
Determination of long-lived radionuclides in environmental media around a nuclear fuel reprocessing plant 249

A. S. Murray, R. Marten, A. Johnston, P. Martin (Jabiru, N. T., Australia)
Analysis for naturally occuring radionuclides at environmental concentrations by gamma spectrometry 263

S. Leskinen, J. K. Miettinen, T. Jaakkola (Helsinki, Finland)
Behaviour of ^{239,240}Pu and ^{241}Am in the Baltic Sea 289

H. D. Livingston, J. K. Cochran (Woods Hole, MA and Stony Brook, N.Y., USA)
Determination of transuranic and thorium isotopes in ocean water: in solution and in filterable particles 299

H. Kawamura, G. Tanaka, K. Shiraishi (Nakaminato, Ibaraki, Japan)
Concentration of ^{239,240}Pu in human bone 309

F. Schönhofer, E. Henrich (Wien, Austria)
Recent progress and application of low level liquid scintillation counting 317

Ph. W. Krey, D. C. Bogen (New York, N.Y., USA)
Determination of acid leachable and total plutonium in large soil samples 335

B. R. Harvey, M. B. Lovett, S. J. Boggis (Lowestoft, Suffolk, England)
Some experiences in controlling contamination of environmental materials during sampling and processing for low-level actinide analysis 357

N. Hayashi, J. Ishida, A. Yamato, M. Iwai, M. Kinoshita (Tokai-mura, Ibaraki-ken, Japan)
Determination of ^{239,240}Pu and ^{241}Am in environmental samples 369

M. García-León, C. I. Sánchez-Angulo (Sevilla, Spain)
Analysis of ^{99}Tc atmospheric samples 377

Index to Volume 115 389

Author Index to Volume 115

AARKROG, A., BOELSKIFTE, S., DAHLGAARD, H., DUNIEC, S., HOLM, E., SMITH, J. N.: Studies of transuranics in an Arctic marine environment, 39

AARKROG, A., *see* HOLM, E., 5

ABE, T., *see* TAKIZAWA, Y., 241

BALLESTRA, S., BARCI, G., HOLM, E., LOPEZ, J., GASTAUD, J.: Low-level measurements of actinides and long-lived radionuclides in biological and environmental samples, 51

BALLESTRA, S., *see* BOJANOWSKI, R., 175

BALLESTRA, S., *see* HOLM, E., 5

BARCI, G., *see* BALLESTRA, S., 51

BJØRNSTAD, H. E., *see* SALBU, B., 113

BLAND, C. J.: Gamma ray spectrometry of samples using standard activity additions, 83

BOELSKIFTE, S., *see* AARKROG, A., 39

BOGEN, D. C., *see* KREY, Ph. W., 335

BOGGIS, S. J., *see* HARVEY, B. R., 357

BOJANOWSKI, R., BALLESTRA, S., VAS, D.: Experience gained through intercomparison of long-lived radionuclide measurements on marine environmental matrices, 175

BOJANOWSKI, R., HOLM, E., WHITEHEAD, N. E.: Determination of ^{227}Ac in environmental samples by ion-exchange and alpha spectrometry, 23

BUNZL, K., KRACKE, W.: Simultaneous determination of plutonium and americium in biological and environmental samples, 13

CHOLEWA, M., *see* PASCHOA, A. S., 231

COCHRAN, J. K., *see* LIVINGSTON, H. D., 299

DAHLGAARD, H., *see* AARKROG, A., 39

DANG, H. S., *see* SUNTA, C. M., 149

DAS, H. A.: The advantage of anti-Compton counting in the measurement of low-level radioactivity by gamma-ray spectrometry, 159

DUNIEC, S., *see* AARKROG, A., 39

ERLANDSSON, B., *see* HEDVALL, R., 211

GARCIA–LEÓN, M., SÁNCHEZ–ANGULO, C. I.: Analysis of ^{99}Tc atmospheric samples, 377

GASTAUD, J., *see* BALLESTRA, S., 51

HAM, G. J., *see* POPPLEWELL, D. S., 191

HARVEY, B. R., LOVETT, M. B., BOGGIS, S. J.: Some experiences in controlling contamination of environmental materials during sampling and processing for low-level actinide analysis, 357

HAYASHI, N., ISHIDA, J., YAMATO, A., IWAI, M., KINOSHITA, M.: Determination of ^{239,240}Pu and ^{241}Am in environmental samples, 369

Elsevier Sequoia S. A., Lausanne
Akadémiai Kiadó, Budapest

AUTHOR INDEX

HEDVALL, R., PETTERSSON, H., ERLANDSSON, B.: Gamma-spectrometric determination of uranium isotopes in biofuel ash, 211

HENRICH, E., *see* SCHÖNHOFER, F., 317

HISAMATSU, Sh.–I., *see* TAKIZAWA, Y., 241

HOLM, E., AARKROG, A., BALLESTRA, S.: Determination of ^{237}Np in large volume samples of sea water by a radiochemical procedure, 5

HOLM, E., *see* AARKROG, A., 39

HOLM, E., *see* BALLESTRA, S., 51

HOLM, E., *see* BOJANOWSKI, R., 23

HOLTZMAN, R. B.: The determination of ^{210}Pb and ^{210}Po in biological and environmental materials, 59

INN, K. W. G.: The National Bureau of Standards fresh water lake sediment environmental-level radioactivity standard reference material, 91

ISHIDA, J., *see* HAYASHI, N., 369

ITAWI, R. K., TUREL, Z. R.: Determination of thallium in biological samples by thermal neutron activation analysis and low-level beta-counting, 141

IWAI, M., *see* HAYASHI, N., 369

JAAKKOLA, T., *see* LESKINEN, S., 289

JAISWAL, D. D., *see* SUNTA, C. M., 149

JOHNSTON, A., *see* MURRAY, A. S., 263

JONES, K. W., *see* PASCHOA, M., 231

KAWAMURA, H., TANAKA, G., SHIRAISHI, K.: Concentration of ^{239,240}Pu in human bone, 309

KINOSHITA, M., *see* HAYASHI, N., 369

KOMURA, K., *see* SAKANOUE, M., 71

KRACKE, W., *see* BUNZL, K., 13

KREY, Ph. W., BOGEN, D. C.: Determination of acid leachable and total plutonium in large soil samples, 335

LESKINEN, S., MIETTINEN, J. K., JAAKKOLA, T.: Behaviour of ^{239,240}Pu and ^{241}Am in the Baltic Sea, 289

LIVINGSTON, H. D., COCHRAN, J. K.: Determination of transuranic and thorium isotopes in ocean water: in solution and in filterable particles, 299

LOPEZ, J., *see* BALLESTRA, S., 51

LOVETT, M. B., *see* HARVEY, B. R., 357

LYDERSEN, E., *see* SALBU, B., 113

MAJOR, R. O., *see* WILKINS, B. T., 249

MARTEN, R., *see* MURRAY, A. S., 263

MARTIN, P., *see* MURRAY, A. S., 263

MATKAR, V. M., *see* PILLAI, K. C., 217

MIETTINEN, J. K., *see* LESKINEN, S., 289

MURRAY, A. S., MARTEN, R., JOHNSTON, A., MARTIN, P.: Analysis for naturally occuring radionuclides at environmental concentrations by gamma spectrometry, 263

PAPPAS, A. C., *see* SALBU, B., 113

PASCHOA, A. S., CHOLEWA, M., JONES, K. W., SINGH, N. P., WRENN, M. E.: PIXE-RBS combination to measure uranium and thorium in environmental and biological samples, 231

PETTERSSON, H., *see* HEDVALL, R., 211

PILLAI, K. C., MATKAR, V. M.: Determination of plutonium and americium in envi-

ronmental samples and assessment of thorium in bone samples from normal and high background areas, 217

POPPLEWELL, D. S., HAM, G. J.: An intercomparison exercise on the determination of neptunium-237 in an environmental material, 191

SAKANOUE, M., YAMAMOTO, M., KOMURA, K.: Determination of environmental actinide nuclides and ^{210}Pb (^{210}Po) by low-energy photon spectrometry with alpha-spectrometry, 71

SALBU, B., BJØRNSTAD, H. E., LYDERSEN, E., PAPPAS, A. C.: Determination of radionuclides associated with colloids in natural waters, 113

SÁNCHEZ–ANGULO, C. I., *see* GARCIA–LEÓN, M., 377

SCHÖNHOFER, F., HENRICH, E.: Recent progress and application of low level liquid scintillation counting, 317

SCHÖNHOFER, F., WEISZ, J.: Measurements by ultra low level liquid scintillation counting following the Chernobyl accident, 125

SHIRAISHI, K., *see* KAWAMURA, H., 309

SINGH, N. P.: Amines as extracting agents for the quantitative determinations of actinides in biological samples, 203

SINGH, N. P., *see* PASCHOA, M., 231

SMITH, J. N., *see* AARKROG, A., 39

STEWART, S. P., *see* WILKINS, B. T., 249

SUNTA, C. M., DANG, H. S., JAISWAL, D. D.: Thorium in man and environment. Uptake and clearance, 149

TAKIZAWA, Y., HISAMATSU, Sh.–I., ABE, T.: The methods for $^{239,240}Pu$ analysis and their application to human tissues and food samples, 241

TANAKA, G., *see* KAWAMURA, H., 309

TUREL, Z. R., *see* ITAWI, R. K., 141

VAS, D., *see* BOJANOWSKI, R., 175

WEISZ, J., *see* SCHÖNHOFER, F., 125

WHITEHEAD, N. E., *see* BOJANOWSKI, R., 23

WILKINS, B. T., STEWART, S. P., MAJOR, R. O.: Determination of long-lived radionuclides in environmental media around a nuclear fuel reprocessing plant, 249

WRENN, M. E., *see* PASCHOA, M., 231

YAMAMOTO, M., *see* SAKANOUE, M., 71

YAMATO, A., *see* HAYASHI, N., 369